CONTENTS

Toxicologic Pathology of the Male Reproductive System

R. E. Chapin and M. R. Elwell. Introduction 3

D. Morton. The use of rabbits in male reproductive toxicology 5

K. Mitsumori and M. R. Elwell. Proliferative lesions in the male reproductive system of F344 rats and B6C3F1 mice: Incidence and classification 11

L. W. K. Chung, S-M. Chang, C. Bell, H. Zhau, J. Y. Ro, and A. C. von Eschenbach. Prostatic carcinogenesis evoked by cellular interaction 23

B. C. Bullock, R. R. Newbold, and J. A. McLachlan. Lesions of testis and epididymis associated with prenatal diethylstilbestrol exposure 29

R. R. Maronpot, B. Ulland, and J. Mennear. Transplantation characteristics, morphologic features, and interpretation of preputial gland neoplasia in the Fischer 344 rat 33

P. K. Working. Male reproductive toxicology: Comparison of the human to animal models 37

Biological Bases for Interspecies Extrapolation of Carcinogenicity Data

K. D. Fisher. Symposium overview 47

W. J. Visek. Issues and current applications of interspecies extrapolation of carcinogenic potency as a component of risk assessment 49

E. J. Calabrese. Comparative biology of test species 55

F. G. Standaert. Absorption and distribution of xenobiotics 63

T. J. Slaga. Interspecies comparisons of tissue DNA damage, repair, fixation, and replication 73

D. G. Scarpelli. Comparative histopathology of the development of selected neoplasms of the liver, pancreas, and urinary bladder in rodents 83

D. B. Clayson. Needs for biological risk assessment in interspecies extrapolation 93

J. E. Gibson and T. B. Starr. Opportunities for improving techniques for interspecies extrapolation in the risk assessment process 99

Contributed Articles

S. Å. Persson, M. Ahlberg, L. Berghem, E. Könberg, G. F. Nordberg, and F. Bergman. Long-term carcinogenicity study in Syrian golden hamster of particulate emissions from coal- and oil-fired power plants 109

D. G. Penney. A review: Hemodynamic response to carbon monoxide 121

T. H. Risby and S. S. Sehnert. A model for the formation of airborne particulate matter based on the gas-phase adsorption on amorphous carbon blacks 131

T. H. Risby, S. S. Sehnert, L. Jiang, and B. S. Dhingra. A model for the release of adsorbed molecules from the surfaces of airborne particulate matter based on liquid-phase desorption from amorphous carbon blacks 141

W. C. Griffiths, P. D. Camara, A. Saritelli, and J. Gentile. The *in vitro* serum protein-binding characteristics of *bis*-(2-ethylhexyl) phthalate and its principal metabolite, mono-(2-ethylhexyl) phthalate 151

Erratum 157

Published Volumes of EHP 159

Instructions to Authors 161